

BH 783 DD

Buttonhole machine

Instruction manual

Always switch off the electricity when working on the machine.

零件册

PARTS BOOK

| | VA |
|----------|------|
| | 1/ N |
| \vdash | |

- 1. 机壳部件
- 2. 安全板部件
- 3. 上轴部件
- 4. 下轴部件
- 5. 压棒及送料部件
- 6. 针杆架部件
- 7. 针摆幅度调节部件
- 8. 剪面线器部件
- 9. 剪底线器部件
- 10. 刀杆部件
- 11. 送布凸轮及离合器部件
- 12. 止动部件
- 13. 运转脱离部件
- 14. 压脚提升架和绕线器部件
- 15. 夹线器部件
- 16. 润滑机构部件
- 17. 电器控制部件

CONTENTS

FRAME & MISCELLANEOUS COVER COMPONENTS(1)

FRAME & MISCELLANEOUS COVER COMPONENTS (2)

MAIN SHAFT COMPONENTS

HOOK DRIVING SHAFT COMPONENTS

PRESSER BAR WORK CLAMP CARRIER COMPONENTS

NEEDLE BAR FRAME COMPONENTS

OVEREDGING WIDTH ADJUSTING COMPONENTS

NEEDLE THREAD TRIMMER COMPONENTS

BOBBIN THREAD TRIMMER COMPONENTS

KNIFE BAR COMPONENTS

FEED CAM & TRIPPING SEGMENT COMPONENTS

STOP-MOTION COMPONENTS

TRIPPING LEVER COMPONENTS


LIFTING LEVER & BOBBIN WINDER COMPONENTS

THREAD TENSION COMPONENTS

LUBRICATION MECHANISM COMPONENTS

ELECTRICAL CONTROL COMPONENTS


1. 机壳部件 FRAME & MISCELLANEOUS COVER COMPONENTS



1. 机壳部件 FRAME & MISCELLANEOUS COVER COMPONENTS (1)

| 手 | 零件名称 | Description | 制造件号 标准件规格》 | 数量 | 序号 | 零件名称 | Description | 制造件号 (标准件规格) | 99 |
|-----|--------------------|-----------------------------------|------------------|-----|----|-------------------|------------------------------|-----------------|----|
| 1 2 | 上侧下侧盖 | FRAME SIDE COVER B | 780-10106 | 1 | 47 | 弹簧垫6 | DISK SPRING | GB/T860-1986 | |
| 9 | 累钉11/64-40,L=12 | SCREW 11/64-40 L=12 | 780-10107 | 2 | 48 | 箱盖螺钉D=3.65, H=2.6 | HINGE SCHEW D=3,65 H=2,6 | 780-10137 | |
| 3 | き関4.5×8×0.5 | WASHER 4, 5×8×0, 5 | 780-10108 | 2 | 49 | 旋转轴唇形密封圈 FB022035 | RUBBER RING #22×#35×7 | GB/T13871-1992 | |
| 1 | 资冲垫圈 | CUSHION | 780-10109 | 2 | 50 | 手柄限位簧 | HAND STOP LATCH | 780-10139 | |
| 7 4 | 几头支承臂 | MACHINE ARM SUPPORT ROD | 780-10110 | 1 | 51 | 螺钉11/64-40, L=7 | SCREW 11/64-40 1/47 | 780-10140 | |
| 8 9 | 集钉11/64-40。L=5 | SCREW 11/84-40 L-5 | 780-10111 | 1 | 52 | 球形颚紧螺钉 | BALL SCREW | 780-10141 | l |
| 9 3 | 单性园柱销6×30 | PIN | GB879-76 | 1 | 53 | 螺母3/16-28 | NUT 3/16-28 | 780-10142 | |
| 0 | 家胶缓冲垫 | RUBBER CUSHION | 780-10112 | 1 | 54 | 橡胶插塞 | RUBBER PLUG | 780-10143 | |
| 1 | 左侧后侧盖 | SIDE COWER(C) | 780-10113 | 1 | 55 | 顶盖后衬垫 | TOP COVER GASKET BEAR | 780A-10144 | |
| 3 | 左侧后侧盖衬垫 | SIDE COVER GASKET (C) | 780-10114 | 1 | 56 | 编心凸轮挡油罩 | ARM OIL SHIELD | 780-10145 | |
| 4 | 螺钉11/64-40,L=9 | SCREW 11/64-40 1=9 | 780-10115 | 20 | 58 | 停刀杆轴轴套 | ENJFE STOP LEVER SHAFT GUIDE | 780-10146 | ١ |
| 5 | 左侧上侧盖 | FRAME SIDE COVER C | 780A-10116 | 1 | 59 | 橡胶插塞 | RUBBER PLUG | 780-10147 | |
| 7 | 媒钉11/64-40, L=22 | SCREW 11/64=40 L=22 | 780-10117 | 1 | 60 | 右侧后侧盖衬垫 | SIDE COVER (A) GASKET | 780-10148 | 1 |
| 18 | 螺钉11/64-40,L=18 | SCREW 11/64-40 U-18 | 780-10118 | 7 | 61 | 右侧后侧盖 | SIDE COVER (A) | 780-10149 | |
| 19 | 缓冲垫閥 | CUSHION | 780-10109 | 2 | 64 | 油窗盖衬垫 | OIL SIGHT WINDOW CASKET | 780-10150 | 1 |
| 20 | 缓冲垫閥 | FRAME SIDE COVER GASKET (C) | 780-10119 | 2 | 65 | 右侧上侧盖 | SIDE COVER B | 780A-10151 | |
| 21 | 示油镜M26×1.5 | OIL SIGHT WINDOW | F-41 | 1 | 68 | 右側下側盖 | SIDE COVER A | 780-10152 | |
| 23 | 0形橡胶密封関 ≥23.6 | OIL SIGHT WINDOW GASKET | GR/T3852, 1-1992 | 1 | 71 | 垫腦4.5×8×0.5 | WASHER 4.5×8×0.5 | 780-10108 | |
| | | | | | 72 | 级冲垫圈 | CUSHION | 780-10109 | |
| 25 | 挑线杆护罩 | THREAD TAKE-UP LEVER OIL GUARD | 780-10122 | 1 | 73 | 推板 | BED SLIDE | 780-10153 | |
| 26 | 挡油器 | BLOCK OIL PLANK | 780A-10126 | 1 | 74 | 底板支承螺钉 | BED SCREW STED A | 780A-10155 | |
| 27 | 螺钉9/64-40, L=5 | SCREW 9/64-40 L=5 | 780-10123 | 2 | 75 | 5 底板挡油罩 | BED OIL SHIELD | 780-10156 | |
| 28 | 而板 | FACE COVER COMPLETE | 780A-10124 | 1 | 76 | 6 底板挡油罩螺钉 | LOOPER COVER OIL SHIELD STUD | 780-10157 | |
| 30 | 面盖板衬垫 | FACE PLATE GASKET | 780A-10125 | 1 | 7 | 7 螺钉11/64-40, L=5 | SCREW 11/64-40 L-5 | 780-10158 | |
| | | | 1 | | 84 | 推微板 | BED SLIDE SPRING | 780-10154 | |
| 32 | 螺钉11/64-40。L=14 | SCREW 11/64-40 L=14 | 780-10127 | 4 | 86 | 6 机头 | MACHINE HEAD | 780-10101 | |
| 33 | 钢管 | | 780A-10128 | 4 | 8 | 7 底板 | SCALEBOARD | 780-10102 | |
| 35 | 頂盖 | TOP COVER | 780A-10129 | 1 | | | | | |
| | | | | | | | | | |
| 41 | 橡胶塞 | RUBBER PLUG | 780A-10133 | 3 1 | | | | | |
| 44 | 橡胶赛 | RUBBER PLUG | 780-10135 | 7 | | | | | |
| | 齿轮箱盖 | GEAR CASE COVER | 780-10136 | 1 | | | | | |


2. 安全板部件 PRAME & MISCELLANEOUS COVER COMPONENTS (2)



2. 安全板部件 FRAME & MISCELLANEOUS COVER COMPONENTS

| - | | | (标准件规格) | 量 | 号 | 零件名称 | Description | 制造件号 (标准件规格) | 量 |
|---|-----------------|----------------------------|-----------|---|----|----------------|-------------------------------|-----------------|---|
| 1 | 安全板组件 | SAFETY PLATE ASM | 780-10201 | 1 | 8 | 端柱 | TENSION SPRING RACK B | 780-10208 | 1 |
| 2 | 安全板 | SAPETY PLATE | 780-10202 | 1 | 9 | 安全板连接架座 | SAFETY PLATE INSTALLING BASE | 780-10209 | 1 |
| 3 | 螺钉11/64-40, L=7 | SCREW 11/64-40 L=7 | 780-10203 | 2 | 10 | 安全板连接架 | SAFETY PLATE INSTALLING PLATE | 780-10210 | 1 |
| 4 | 垫圈4.5×10×0.8 | WASHER 4.5×10×0.8 | 780-10204 | 2 | 11 | 弹性同柱钠2×6 | SPRING PIN 2×6 | GB879-76 | 1 |
| 5 | 连接架座连接螺钉 | HINGE SCREW | 780-10205 | 1 | 12 | 螺母11/64-40 | NUT 11/64-40 | 780-10211 | 1 |
| 6 | 扣矩弾簧 | SAFETY PLATE RETURN SPRING | 780-10206 | 1 | 13 | 螺母3/16-28 | NUT 3/16-28 | 780-10142 | 1 |
| 7 | 垫圈7.4×11.8×0.5 | WASHER 7, 4 × 11, 8 × 0, 5 | 780-10207 | 1 | 14 | 螺钉11/64-40。L=8 | SCREW 11/64-40 L=8 | 780A-10529 | 1 |
| | | | | | 15 | 垫圈6.5×11×1 | MASHER 6,5×11×1 | 780A-11432 | 1 |


3. 上轴部件 MAIN SHAFT COMPONENTS



3. 上轴部件 MAIN SHAFT COMPONENTS

| 1.7 | 零件名称 | Description (| 制造件号 标准件规格》 | 数量 | 序号 | 零件名称 | Description | HITE WAS TO THE | 数量 |
|-----|--|--|--------------------|-----|-----|-------------------|--------------------------------|-----------------|-----|
| | 挑线连杆销 | HINGE STUD | 780-10301 | 1 | 34 | 上轴同步带轮 | LIPPER SHAFT SPROCKET | 780A-10332 | 1 |
| 2 | 螺钉15/64-28。L=10.5 | SCREW 15/64-28 L=10.5 | 780-10302 | 1 | 35 | 同步带 | TIMING RELY | 780A-10336 | 1 |
| | 油芯 | OIL WICK | 780-10303 | 1 | 36 | 上轴中轴承定位套 | BUSHING CENTER POSITION SET | 780A-10334 | 1 |
| | 油芯 | OIL WICK | 780A-10304 | 1 | 37 | 上轴中轴承套 | BUSHING CENTER SET | 780A-10333 | 3 |
| 5 | 油芯 | OIL WICK | 780A-10305 | 1 | 38 | 后轴承隔圈 | BUSHING BEHIND RING | 780A-10335 | |
| , | 油芯环 | DIL WICK SNAP RING | 780-10306 | 1 | 39 | 上轴后轴承 | BUSHING BEHIND | 61904-Z | 1 |
| | 套管(白色) | VINYL PIPE | 780-10307 | 1 | 40 | 銀钉 M6×7 | SCIEW M6×7 | GB/177-2000 | 3 |
| - | 上轴 | MAIN SHAFT | 780A-10308 | 1 | 41 | 上轴后轴承座 | BUSHING BEHIND BASE | 780A-10337 | 8 |
| , | 橡胶插塞 | RUBBER PLUG | 780-10309 | 1 | 42 | 后轴承定位套 | BUSHING BEHIND POSITION SET | 780A-10338 | 120 |
| 0 | 挑线杆组件 | THREAD TAKE-LP LEVER ASM CER | 780-10310 | 1 | 43 | 轴用挡圈≈20 | RETAINING RING 20 | 38/T894, 1-1986 | 1 |
| 1 | 挑线杆组件 | THREAD TAKE-UP LEVER ASM | 780-10312 | 1 | 44 | 姚钉15/64-28。L=7 | SCREW 15/64-28 L=7 | 780-10323 | |
| | 针杆曲柄 | NEEDLE BAR CRANK | 780-10313 | 1 | 45 | 孔用挡圈=37 | RETAINING RING 37 | GB/T893, 1-1986 | |
| | 针杆曲柄连杆 | NEEDLE HAR CRANK CONNECTING BO | 780-10314 | 1 | 46 | 调整垫圈 | WASHER B | 780-10341 | |
| | 滚针轴承1924/8 | NEEDLE BEARING | GB2581-76 | 2 | 47 | 空转带轮 | LOOSE PULLEY ASM | 780-10342 | ١ |
| | 针杆曲柄左旋螺钉 | LEFT SCREW | 780-10315 | 1 | 48 | 轴用弹性挡腦30 | RETAINING RING 30 | GB894-76 | |
| | 油毡圈 | OIL FELT WASHER | 780-10316 | 1 | 49 | 螺钉9/64-40,L=3.5 | SCREW 9/64-40 L=3.5 | 780-10343 | |
| | 止推垫圈 | NEEDLE ROD CRANK WASHER | 780-10317 | 1 | 50 | 带轮轴承盖 | MAIN SHAFT THRUST SEEL | 780-10344 | |
| | 螺钉 | SCREW 9/32-28 L=16 | 780-10318 | 1 | 51 | 带轮轴承盖衬垫 | GASKET | 780-10345 | ١ |
| | 平衡块 | COUNTERWEIGHT | 780-10319 | 1 | 52 | 滚针轴承前后盖 | THRUST WASHER A | 780-10346 | ١ |
| | 螺钉1/4-40, L=5 | SCREW 1/4-40 L=5 | 780-10320 | 2 | 53 | 推力滚针轴承589102 | BEARING | JB2581-76 | |
| | 螺钉9/32-28, L=15.8 | SCREW 9/32-28 1/415, 8 | 780-10321 | 1 | 54 | 螺钉1/4-40, L=5.0 | SCREW 1/4-40 L=5.0 | 780-10348 | ı |
| 22 | - 77 FANDE | BUSHING FRONT | 6204-22 | 1 | 55 | 螺钉1/4-40, L=5.0 | SCREW 1/4-40 L=5 | 780-10320 | |
| | 鄉有 1/4-40 L=6 | SCREW 1/4-40 L-6 | 780-10331 | 6 | 56 | 6 传动带轮 | DRIVING PULLEY | 780-10349 | |
| 24 | | BUSHING FRONT POSITION SET | 780A-10324 | 1 | 5 | 塚钉 | SCHEW (C) | 780-10350 | |
| | 轴用挡置≥25 | RETAINING RING 25 | GE/T894, 1-1986 | 1 | 5 | 8 止动凸轮压簧 | STOP CAM PRESSURE SPRING | 780-10351 | |
| | 刀杆传动连杆 | KNIFE BAR DRIVING COANSCTING R | 780A-10326 | 1 | 5 |) 止动凸轮压滑块 | STOP MOTION CAM PIN SLIDE BLOC | 780-10352 | |
| | 刀杆传动偏心凸轮 | KNIFE BAR DRIVING ECCENTRIC | 780A-1032 | 1 | 6 | 向 扇形止动块 | BAKE ITE SEGMENT | 780-10353 | |
| | 螺钉1/4-40, L=8 | SCREW 174-40 L=8 | 780-10328 | 2 | 6 | 1 止动凸轮定位销 | STOP MOTION CAN POSITION PIN | 780-10354 | |
| |) 无套圖有保持架滾针轴。 | A Prome A many such a state of | 924A 105 N105 X 12 | 1 1 | 6 | 2 止动凸轮 | STOP MOTION CAM | 780-10355 | |
| | 油承 | BEARING | 61904-2 | 1 | | 3 止动凸轮压圈 | STOP MATION CAM PRESSER PLATE | 780-10356 | |
| | 螺钉15/64-28。L=10.5 | - Control of the Cont | 780-10302 | 1 | 6 | 4 螺钉11/64-40, L=7 | SCREW 11/64-40 L=7 | 780-10140 | |
| | 2 WORM ASM | TENSION POST NO. 3 | 780-10330 | | | 5 带轮旋转方向标识贴 | DIRE TION LABEL | 780-10357 | |
| | 3 螺钉1/4-40, L=6 | SCREW 1/4-40 L=6 | 780-10331 | | 2 6 | 6 挑线杆曲柄 | HINGE CRANK | 780-10311 | |
| c. | A COMPANY OF THE PARK OF THE P | AMERICA MANAGEMAN | | | | 7 轴承80106 | BEARING | GB278-76 | |
| | | | | | - 1 | 8 偏心凸轮挡圈 | ECCENTRIC CAN RETAINING RING | 780A-1035 | 8 |


4. 下轴部件 HOOK DRIVING SHAFT COMP(NENTS



4. 下轴部件 HOOK DRIVING SHAFT COMPONENTS

| 序号 | 零件名称 | Description | 制造件号 (标准件规格) | 数量 | 序号 | 2325 Lit. L. Who. | Description | 制造作号 (标准作规格) | 数量 |
|----|----------------|-------------------------------|------------------|----|----|-------------------|--|-----------------|----|
| 1 | 梭壳组件 | BOBBIN CASE ASM | 佐文SC70-771 | 1 | 32 | 张紧轮连杆螺母 | MUT 5/16-20 | 780A-10412 | 1 |
| | | | | | 33 | 调节配件 | REGULATE ACCESSORIES | 780A-10413 | 1 |
| | | | | | 34 | 张紧轴连杆 | COVERT & POLE MONE OF THE STREET STATE | 780A-10414 | 1 |
| | | | | | 35 | 皮带张紧轮 | BRING TO THE STRETCH A ROUND | 780A-10415 | 1 |
| | | | | | 36 | 维承26×10×8 | BEARING | 6000 | 1 |
| | | | | | 37 | 孔用指揮 ◆26 | RETAINING RING 26 | GB893-76 | 1 |
| | | | | | 38 | 垫閱 4.8×11.5×2 | WASHER 4.8×11.5×2 | 9-2-185 | 1 |
| 10 | 梭心 | BOBBIN | 780-10401 | 1 | 39 | 螺钉3/16-32 L=9.5 | SCREW 3/16-32 L=9.5 | 780-11512 | 1 |
| 11 | 旋梭 | HOOK ASM | E XB1808-771-040 | 1 | 40 | 下轴同步带轮 | HOOK DETVING SHAFT SPROCKET | 780A-10417 | 1 |
| 12 | 定位钩 | BOSSIN CASE POSITIONING PLATE | 780-10402 | 1 | 41 | 无头螺钉 M6×7 | SCREW M6×7 | GB/T77-2000 | 2 |
| 13 | 螺钉11/64-40、L=5 | SCREW 11/64-40 1-5 | 780-10158 | 2 | 42 | 孔用指圈 432 | RETAINING RING 32 | GB893-76 | 1 |
| 14 | 旋梭轴接套组件 | TIOOK SLEEVE ASM | 780-10403 | 1 | 43 | 后轴承定位套 | BEARING BUSH, REAR | 780A-10418 | 1 |
| 15 | 螺钉1/4~40, L=6 | SCREW 1/4-40 1.=6 | 780-10404 | 4 | 44 | 轴承32×15×9 | BEARING | 6002 | 2 |
| 16 | 油芯 | OIF MIOR | 780-10405 | 1 | 45 | 轴用挡锅 Φ15 | RETAINING RING 15 | GB894-76 | 1 |
| 17 | 螺母9/64-40 | NUT 9/64-40 | 780-10406 | 1 | 46 | 油量调节橡胶塞 | BOOK OIL SUPPLY RUBBER ASM | 780-10426 | 1 |
| 18 | 油量调节螺母 | ADJUSTING SCREW | 780-10407 | 1 | 47 | 油量调节橡胶嵌件 | BUSHINO | 780-10427 | 1 |
| 19 | 下轴前轴承 | BUSHING ASM FRONT | 780-10408 | 1 | 48 | 油量调节橡胶嵌钉座 | PLATE SPRING | 780-10428 | 1 |
| 20 | 油芯 | OIL WIOK | 780-10405 | 1 | 49 | 旋枝油量调节螺钉 | BOOK OIL ADJUSTING SCREW | 780-10429 | 1 |
| 21 | 螺钉15/64-28。L=7 | SCREW 15/64-28 L=7 | 780-10323 | 3 | 50 | 定位螺钉 | POSITIONNG SCREW | 780-10430 | 1 |
| 22 | 中轴承定位套 | BEARING BUSH, INTERMEDIATE | 7804-10409 | 1 | 51 | 油毡夹 | OIL SUPPLY FELT HOLDER | 780-10431 | 1 |
| 23 | 针杆摆动小齿轮 | PINION ASM | 780A-10410 | 1 | 52 | 螺钉15/64-28, L=7 | SCREW 15/64-28 L=7 | 780-10432 | 1 |
| 24 | 螺钉1/4-40, L=6 | SCREW 1/4:40 L=6 | 780-10331 | 2 | 53 | 下轴前轴承长油毡 | OIL SUPPLY FELT | 780-10434 | 1 |
| 25 | 轴用挡圈 Φ12 | RETAINING RING 12 | GB894-76 | 1 | 54 | 下轴 | HOOK DRIVING SHAFT | 780A-10435 | 1 |
| 26 | 轴承28×12×8 | BEARING | 6001 | 1 | 55 | 油泵蜗杆 | OIL PUMP WORM ASM | 780A-10436 | 1 |
| 27 | 螺钉 3/16-32 L=5 | SCREW 3/16-32 L-5 | 780-11117 | 4 | 56 | 垫块 | MAT PIECE | 780A-10437 | 1 |
| 28 | 螺钉 M4×14 | SCREW M4×14 | GB/170, 1-2000 | 2 | 57 | 后轴承调节螺母 | BEARING REGULATE NUT, REAR | 780A-10438 | 1 |
| 29 | 螺号 34 | NUT M4 | GB52-76 | 2 | 58 | 緊定螺钉9/16-24 L=8 | SCREW 9/16-24 L=8 | 780A-10439 | 1 |
| 30 | 螺钉9/64-40, L=8 | SCREW 9/64-40 L=8 | 780-10631 | 2 | 59 | 螺钉11/64-40 L=7 | SCREW 11/64-40 L=5 | 780-10111 | 1 |
| 31 | 调节杆座 | REGULATE A POLE SHELF | 780A-10411 | 1 | 60 | 后轴承固定閥 | BEARING PEG, REAR | 780A-10440 | 1 |
| | | | | | 61 | 后轴承隔闊 | BESHING BEHIND RING | 780A-10441 | 1 |


5. 压棒及送料部件 PRESSER BAR. WORK CLAMP CARRIER COMPONENTS



5. 压棒及送料部件 PRESSER BAR WORK CLAMP CARRIER COMPONENTS

| 并子 | 零件名称 | Description | 制造件号 标准件规格) | 数量 | 序号 | 零件名称 | Description | 制造件号 (标准作规格) | 娄石 |
|-----|-------------------|--------------------------------|----------------|-------|----|--------------------|--------------------------------|-----------------|----|
| | 医寰调节螺钉 | PRESSER SPRING REGULATOR | 780-10501 | 1 | | | | | |
| 2 | 压棒 | PRESSER BAN | 780A-10502 | 1 | 31 | 送布拖板 | WORK CLAMP CARRIER | 780-10527 | 1 |
| 3 | 压 翼 | PRESSER SPRING | 780-10503 | 1 | | | | | |
| 4 | 压棒导向支架 | PRESSER BAR GUIDE BRACKET | 780A-10504 | 1 | 33 | 支架盖板组件 | BRACKET COVER | 780-10528 | |
| 5 | 导架螺钉9/64-40 L=6.8 | SCHEW 9/64-40 L=6.8 | 780-10512 | 2 | 34 | 蝶钉11/64-40,L=8 | SCREW 11/64-40 L-8 | 780-10529 | |
| 6 | 压棒定位架 | PRESSER BAR POSITION BRACKET A | 780A-10506 | 1 | 35 | 送科支架 | WORK CLAMP ARM BRACKET ASM | 780-10530 | |
| 7 | 螺钉1/4-40. L=8 | SCREW 1/4-40 L=8 | 780-10328 | 1 | 36 | 螺钉15/64-28,L=14 | SCREW 15/64-28 114 | 780-10531 | |
| 8 | 轴承 | COLLAR | 780-10507 | 1 | 37 | 送料支架连杆 | WORK CLAMP CARRIER BRACKET PIT | 780-10532 | |
| 9 | 滑动滚轮 | SLIDE ROLLER | 780-10508 | 1 | 38 | 铰链销螺钉D=8.73 H=6.0 | HINGE SCREW D=8,73 H=6.0 | 780-10533 | |
| 0 | 滑动滚轮销 | CONNECTING PIN | 780-10509 | 1 | 39 | 压脚臂沿杆 | WORK CLAMP ARM SLIDE ROD | 780-10534 | |
| 1 | 支架组件 | BRACKET ASM | 780-10510 | 1 | 40 | 送布拖板支架导板 | WORK CLAMP CARLER BEACKET GUID | 780-10535 | |
| 2 | 支架 | BRACKET | 780-10510 | 1 | 41 | 螺钉9/64-40,L=9.5 | SCREW 11/64~40 L=9.5 | 780-10536 | |
| 3 | 保险架 | FINCER GUARD | 780-10511 | 1 | 42 | 布料夹 | WORK CLAMP | 780A-10537 | |
| | 採钉9/64-40。L=6.8 | SCREW 9/64-40 L=6.8 | 780-10512 | 1 | 43 | 连接销 | CONNECTING PIN | 780-10538 | |
| -31 | 压棒螺钉9/64-40,L=15 | SCREW 9/64-40 L=15 | 780-10513 | 1 | 44 | 螺钉15/64-40, L=8.5 | SCREW 9/64-40 L=8.5 | 780-10539 | ١ |
| 16 | 螺钉11/64-40,L=7 | SCREW 11/64-40 L=7 | 780-10140 | 1 | 45 | 托架 | BEARING ARM | 780-10540 | |
| 17 | 压脚架 | WORK CLAMP BRACKET | 780A-10514 | 1 | 46 | 5 螺钉15/64-28,L=7 | SCREW 15/64-28 L=7 | 780-10323 | |
| | | | 6 | THE R | 47 | 螺钉15/64-28, L=11 | SET-SCHEW | 780-10541 | |
| 19 | 螺钉9/64-40, L=8.5 | SCREW 9/64-40 L=8.5 | 780-10631 | 2 | 48 | 8 调节送料长度铰链销螺钉 | LENGTH RECULATING HINGE STED | 780-10542 | ١ |
| 20 | 螺钉11/64-40, L=7.8 | SCREW11/64-40 L=7.8 | 780-10516 | 2 | 49 | 调节送料长度轴导板 | LENGTH REGULATING SHAFT GLIDS | 780-10543 | |
| | 闭剪控制板 | SEEDLE THREAD TRIMMER GUIDE A | 780-10517 | 1 | 50 | 端 母15/64-28 | NUT 15/64-28 | 780-10544 | |
| | 开剪控制板 | NEEDLE THREAD TRIMMER GUIDE B | 780-10518 | 1 | 5 | 1 调节送料长度刻度量 | LENGTH REGULATING SCALE ASS | 780-10545 | |
| | 压脚板座 | WORK CLAMP CHECK HOLDER ASM | 780-10519 | 1 | 52 | 2 16184 | CLOTH FEED ARM ASM | 780-10546 | |
| 24 | 压脚板座弹簧销 | WORK CLAMP CHECK DOLDER SPRING | 780-10520 | 1 | 5 | 3 圆柱内六角螺钉6×16 | SCREW MG L=16 | GB70-76 | |
| 25 | 压脚弹簧板 | WORK CLAMP CHECK SPRING | 780-10521 | 2 | 5 | 4 7程子 | ROLLER | 780A-10547 | 7 |
| 26 | 压脚弹簧定位销 | NORK CLAMP CHECK SPRING SET P | 780-10522 | 2 | 5 | 5 曲柄滚子销螺钉 | BELL CRASK ROLLER STUD | 780-10548 | |
| 27 | 压脚板座轴位螺钉 | HINGE SCREW | 780-10523 | 1 | 5 | 6 螺母15/64-28 | NUT 15/64-28 | 780-10544 | |
| 28 | 螺钉3/32-56,L=1.9 | SCREW 3/32-56 L=1.9 | 780-10524 | 2 | 5 | 7 陸陽6.5×13×0.8 | WASIER 6,5×13×0,8 | 780-10549 | |
| | 压脚板组件 | WORK CLAMP CHECK | 780-10525 | 1 | 1 | | | | |


6. 针杆架部件 NEEDLE BAR FRAME COMPONENTS



6. 针杆架部件 NEEDLE BAR FRAME COMPONENTS

| 序号 | 零件名称 | Description | 制造件号 (标准件规格) | 数量 | | | Description | 制造作号 (标准件规格) | 数量 |
|----|--------------------|-------------------------------|-----------------|----|----|-------------------|--------------------------------|-----------------|----|
| 1 | 针杆架传动滑块 | SQUARE BLOCK | 780A-10601 | 1 | 29 | 輕好15/64-28,L=7 | SCREW 15/64-28 L=7 | 780-10323 | 1 |
| 2 | 滑块销螺钉 | stud | 780A-10602 | 1 | 30 | 针杆摆架 | NEEDLE BAR FRAME | 780A-10622 | 1 |
| 3 | 蝶母15/64-28 | NUT_15/64-28 | 780-10544 | 1 | 31 | 螺钉15/64-28, L=8 | SCREW 15/64-28 L=8 | 5-41-185 | 1 |
| 4 | 摆杆前轴承 | BESHING | 780A-10603 | 1 | 32 | 针杆摆架铰链销 | HINGE STUD | 780A-10624 | 2 |
| 5 | 螺钉15/64-28,1=10.5 | SCREW 15/64-28 L=10, 5 | 780-10302 | 3 | 33 | 海芯 | OIL WICK | 780-10611 | 1 |
| 6 | 油毡夹紧环20×2.4 | HUBBER RING | GB1235-76 | 1 | 34 | 针杆摆动架定位架 | POSITION BRACKET | 780A-10625 | 1 |
| 7 | 油毡 | DIL WICK | 780-10605 | 1 | 35 | 螺钉15/64-28. L=4.7 | SCREW 15/64-28 L=4.7 | 780-11116 | 1 |
| 8 | 摆杆前曲柄 | FRAME ROCK SHAFT CRANK ASM F | 780A-10606 | 1 | 36 | 油毡 | OIL PELT | 780-10626 | 1 |
| 9 | 摆杆后轴承 | BUSHING REAR | 780-10607 | 1 | 37 | 油绳高端固定架 | ROCK SHAFT CONNECTION GUIDE | 780A-10627 | 1 |
| 10 | 油毡 | OIL FELT | 780-10608 | 1 | 38 | 螺钉9/64-40, L=4.5 | SCREW 9/64-40 L-4, 5 | 780-10628 | 2 |
| 11 | 摆杆后曲柄 | FRAME ROCK SHAFT CRANK ASM R | 780A-10609 | 1 | 39 | 针杆连接杆 | NEEDLE BAR CONNECTION | 780A-10629 | 1 |
| 12 | 螺钉15/64-28, L=12 | SCREW 15/64-28 L-12 | 780-10610 | 1 | 40 | 螺钉9/64-40,L=8.5 | SCREW 9/64-40 L-8, 5 | 780-10631 | 1 |
| 13 | 油芯 | OIL WICK | 780-10611 | 1 | 41 | 油绳低端固定架 | OIL FELT RETAINER LOWER | 780A-10632 | 2 |
| 14 | 摆动叉铰链铂螺钉D=7.94E=8 | HINGE SCREW D=7.94 H=8 | 780-10612 | 1 | 42 | 针杆 | NEEDLE BAR | 780-10633 | 1 |
| 15 | 蝌母1/4-24 | NUT 1/4-24 | 780-10613 | 1 | 43 | 针杆导线架 | NEEDLE BAR BORREN TURSAN GUIDE | 780-10634 | 1 |
| 16 | 针杆摆动叉 | NEEDLE BAR PITMAN | 780-10614 | 1 | 44 | 螺钉1/8-44. L=4.5 | SCREW 1/8-44 L=4,5 | 780-10635 | 1 |
| 17 | 摆动义导板 | BOCK SHAFT CONNECTION GUIDE | 780A-10615 | 1 | 45 | 杉L针 | NEEDLE DP×5 #11J | DP×5 #11J | 1 |
| 18 | 螺钉9/64-40, L=8.5 | SCREW 9/64-40 L=8.5 | 780A-10616 | 2 | 46 | 计杆导线架 | SEEDLE BAR BOBBIN TOREAD GUIDE | 780-10636 | 1 |
| 19 | 螺钉11/64-40。L=12 | SCREW 11/64-40 L-12 | 780-10617 | 1 | 47 | 机针 | NEEDLE 134SES 75 | 134ES 75 | 1 |
| 20 | 螺母11/64-40 | N/T 11/64-40 | 780-10211 | 1 | 48 | 移L行 | SEEDLE DP×5 #14J | DP×5 #14 | 1 |
| 21 | 机针摆凸轮组件 | NEEDLE DRIVING GEAR ASM | 780-10618 | 1 | 49 | 机针 | SEEDLE 134 75 | 134 75 | 1 |
| 22 | 排针摆动凸轮档图D=9,530-10 | THREST COLLAR ASM D=9.53 W=10 | 780-10619 | 1 | 50 | 左固定片 | LEFT STATOR | 780A-10637 | 1 |
| 23 | 姚智15/64-28, L=11 | SET-SCREW | 780-10541 | 1 | 51 | 始打 9/64-40 L=6.8 | SCREW 9/64-40 L=6.8 | 780-10512 | 4 |
| 24 | 螺钉15/64-28, L=7 | SCREW 15/64-28 L=7 | 780-10323 | 1 | 52 | 右固定片 | RIGHT STATOR | 780A-10638 | 1 |
| 25 | 机针摆凸轮轴 | KNIFE DRIVING SHAFT ASM | 780-10620 | 1 | 53 | 轴心 | AXIS | 780A-10639 | 1 |
| 26 | 油芯 | OIL WICK | 780-10621 | 7 | 54 | 针杆衬套管(上) | NEEDLE BAR BUSH (HIGH) | 780A-10640 | 1 |
| 27 | 螺钉15/64-28, L=11 | SET-SCREW | 780-10541 | 1 | 55 | 针杆衬套管(下) | NEEDLE BAR BEISH (LOW) | 780A-10641 | 1 |
| 28 | 机针摆凸轮挡度D=8,53W=10 | THREST COLLAR ASM D=9.53 W=10 | 780-10619 | 1 | | | | | |


7. 针摆幅度调节部件 OVEREDGING WIDTH ADJUSTING COMPONENTS



7. 针摆幅度调节部件 OVEREDGING WIDTH ADJUSTING COMPONENTS

| 字号 | 零件名称 | Description | 制造件号 (标准件规格) | 数量 | 序号 | 零件名称 | Description | 制造件号 (标准件规格) | 数量 |
|----|-----------------------|------------------------------|-----------------|----|-----|------------------|----------------------------------|-----------------|----|
| 1 | 基线调节螺钉 | STICH WIDTH REGULATING SCREW | 780-10701 | 3 | 26 | 调节架轴 | REGULATING LEVER SHAFT ASM | 780-10718 | 1 |
| 2 | 调节螺钉 MS, L=20 | SCREW MS L=20 | 780-10733 | 1 | 27. | 油芯 | DIL WICK | 780-10736 | 1 |
| 3 | 左基线调节螺母 | NUT M8 | 780-10732 | 1 | 28 | 基线变换架 | BEARING BRACKET | 780-10719 | 1 |
| 4 | 螺母 MS | NUT M8 | GB41-76 | 3 | 29 | 螺形11/64-40 | NIT 11/64-40 | 780-10211 | 1 |
| 5 | 基线调节柄 | REPOSITIONING LEVER ASM | 780-10702 | 1 | 30 | 螺钉11/64-40, L=12 | SCREW 11/64-40 L=12 | 780-10617 | 1 |
| 6 | 螺钉 | SCREW 3/16-28 L-12 | 780-10703 | 2 | 31 | 基线变换架轴 | AMMEDILE THROW REPOSITIONING SHA | 780-10720 | 1 |
| 7 | 基线变换项杆 | TRIPPING ROD ASM | 780-10704 | 1 | 32 | 螺钉15/64-28,L=9 | SCREW 15/64-28 L=9 | 780-10721 | 2 |
| 8 | 滚轮销轴螺钉 | PIN | 780-10705 | 1 | 33 | 连接销 | BEARING BRACKET ASM | 780-10722 | 2 |
| 9 | 液轮 | ROLLER | 780-10706 | 1 | 34 | W.S. | OIL WICK | 780-10737 | 2 |
| 10 | 基线调节树限位螺钉 | REGULATING LEVER STOPPER ASM | 780-10707 | 1 | 35 | 振幅变换架 | REPOSITIONING LIVER LINK | 780-10723 | 1 |
| 11 | 振幅调节连杆 | REGULATING LEVER CONNECTION | 780-10708 | 1 | 36 | 连接销 | CONNECTING FORKED LINE PIN ASM | 780-10724 | 1 |
| 12 | 振幅调节连杆铰链销 | REGULATING HINGE PIN | 780-10709 | 1 | 37 | 油芯 | OIL WICK | 780-10734 | 1 |
| 13 | 英英连杆技術螺钉 De7 94 He4 3 | HINGE SCER# D=7, 94 H-4, 3 | 780-10710 | 1 | 38 | 螺钉11/64-40, L=12 | SCREW 11/64-40 L=12 | 780-10617 | 2 |
| 14 | 加固变换顶杆 | BELL CRANK | 780-10711 | 1 | 39 | 螺程11/64-40 | NUT 11/64-40 | 780-10211 | 2 |
| 15 | 加固变换项杆滚轮 | ROLLER | 780-10712 | 1 | 40 | 连接销 | CONNECTING STED ASM | 780-10725 | 1 |
| 16 | 途轮役链螺钉 0=6, 35 H=4.7 | HINCE SCREW D=6, 35 H=4, 7 | 780-10713 | 1 | 41 | 油芯 | OIL WICK | 780-10735 | 1 |
| 17 | 螺母11/64-40 | NUT 11/64-40 | 780-10211 | 1 | 42 | 拉簽 | SPRING | 780-10726 | 1 |
| 18 | 螺钉11/64-40,L=12 | SCREW 11/64-40 L=12 | 780-10617 | 1 | 43 | 悬挂螺钉 | SUSPENSION SCREW | 780-10727 | 2 |
| 19 | 加固振幅宽度指针 | BARRED WIDTH INDICATOR | 780-10714 | 1 | 44 | 针杆架摆动螺钉 | CONSECTING FORKED LINK | 780-10728 | 1 |
| 20 | 螺钉1/8-44, L=4.5 | SCREW 1/8-44 L=4.5 | 780-10635 | 2 | 45 | 拉簧 | SPRING | 780-10729 | 1 |
| 21 | 振幅调节架 | REGULATING LEVER | 780-10715 | 1 | 46 | 螺母15/64-28 | NUT 15/64-28 | 780-10544 | 1 |
| 22 | 变换顶杆复位弹簧板 | SPRING | 780-10716 | 1 | 47 | 基线调节柄限位螺钉 | REGULATING LEVER STOPPER ASM | 780-10707 | 1 |
| 23 | 螺钉1/8-44,L=4.5 | SCREW 1/8-44 L-4.5 | 780-10635 | 2 | 48 | 横列振幅宽度指针 | SEAN WIDTH INDICATOR | 780-10731 | 1 |
| 24 | 报幅调节架座 | REGULATING LEVER BRACKET | 780-10717 | 1 | 49 | 螺钉1/8-44, L-4, 5 | SCREW 1/8-44 L=4.5 | 780-10635 | 2 |
| 25 | 螺钉15/64-28, L=12 | SCREW 15/64-28 L=12 | 780-10610 | 2 | | | | | |


8. 剪面线器部件 NEEDLE THREAD TRIMMER COMPONENTS



8. 剪面线器部件 NEEDLE THREAD TRIMMER COMPONENTS

| 序号 | 零件名称 | Description | 制造件号 (标准件规格) | 数量 | 序号 | 零件名称 | Description | 制造件号 (标准件规格) | 爱石 |
|----|------------------|--------------------------------|-----------------|----|----|-----------------------|--------------------------------|-----------------|----|
| 1 | 面线修正器组件 | NEEDLE THREAD TRIMMER ASM | 780-10801 | 1 | 25 | 垫圍5. 2×8. 2×1 | SPRING WASHER 5.2×8.2×1 | 780-10820 | 4 |
| 2 | 面线剪刀下刀片 | NEEDLE THREAD TRIMMER, LOWER | 780-10802 | 1 | 26 | 四柱头内六角部钉3/16-32, L=12 | SCREW 3/16-32 1.=12.0 | 780-10821 | 4 |
| 3 | 定位销 | POSITION PIX | 780-10803 | 1 | 27 | 万向接头 | UNIVERSAL JOINT | 780-10822 | 1 |
| 4 | 面线剪刀上刀片 | NEEDLE THREAD TRIMMER UPPER | 780-10804 | 1 | 28 | 弹簧 - | THREAD TRIMMER SPRING B | 780-10823 | 1 |
| 5 | 面线剪刀压簧板 | NEEDLE THREAD PRESSER SPRNG | 780-10805 | 1 | 29 | 剪面线器轴组件 | NEEDLE THREAD TRIMMER SHAFT AS | 780-10824 | 1 |
| 6 | 铰链销螺钉D=4, H=1, 8 | HINGE SCERW D=4 H=1.8 | 780-10806 | 1 | 30 | 面线剪刀起动滚轮销 | STUD | 780-10825 | 1 |
| 7 | 螺钉11/64-40,L=5 | SCREW 11/64-40 L=5 | 780-10158 | 2 | 31 | 面线剪刀起动滚轮 | CAM ROLL | 780-10826 | 1 |
| 8 | 剪面线器轴导板 | NEEDLE THREAD TROWNER SHAFT GO | 780-10807 | 1 | 32 | 螺钉1/8-44, L=6 | SCREW 1/8-44 L=6 | 780-10827 | 1 |
| 9 | 螺钉15/64-28, L=7 | SCREW 15/64-28 L=7 | 780-10808 | 1 | 33 | 面线剪刀复位拉簧 | THREAD TRIMMER SPRING A | 780-10828 | 1 |
| 0 | 面线剪刀摆动架 | THREAD TRIMMER HOLDER ASM | 780A-10809 | 1 | 34 | 拉策悬挂螺钉 | SUSPENSION SCREW | 780-10829 | 1 |
| 11 | 支头螺钉M6×10 | SCREW W6 L=10 | GB-T78-1985 | 2 | 35 | 线头控制器压板 | LATCH PRESSER ARM | 780-10830 | 1 |
| 12 | 面线剪刀安全曲柄 | DIFFERENTIAL HOLDER ASM | 780-10811 | 1 | 36 | 螺钉9/64~40。L=6.8 | SCREW 9/64-40 L=6.8 | 780-10512 | 1 |
| 13 | 支头螺钉M6×10 | SCREW M6 L=10 | GB-T78-1985 | 2 | 37 | 整片 | SPACER | 780-10831 | 1 |
| 4 | 限位板 | LIMTENG PLATE | 780A-10812 | 1 | 38 | 锁架组件 | LOCKING BRACKET LATCH ASM | 780-10832 | |
| 15 | 螺钉11/64~40,L=7.8 | SCREW 11/64-40 L=7.8 | 780-10516 | 2 | 39 | 螺钉11/64-40, L=7, 8 | SCREW 11/64-40 L=7.8 | 780-10516 | |
| 16 | 安全凸轮转矩弹簧 | DRIVING CAM SPRING | 780-10813 | 1 | 40 | 剪线轴运动量顶块 | THREAD TRIMMING SHAFT SEGMENT | 780-10833 | 1 |
| 17 | 安全凸轮转矩弹簧轴 | DRIVING CAM SPRING AXLE | 780-10814 | 1 | 41 | 饺链销螺钉D=6, 35 H=10 | HINGE SCREW D=6.35 H=10 | 780-10834 | 1 |
| 18 | 铰链销螺钉D=4.5,H=4 | HINGE SCREW D=4.5 H=4 | 780-10815 | 1 | 42 | 螺母11/64-40 | NUT 11/84-40 | 780-10211 | 1 |
| 19 | 安全凸轮安装板 | DRIVING CAN INSTALLING PLATE | 780-10816 | 1 | 43 | 進程1/8-44 | XT 1/8-41 | 780-10836 | 1 |
| 20 | 铰链销螺钉D=7.94,H=3 | HINGE SCREW D=7, 94 H=3.0 | 780-10817 | 1 | 44 | 螺形1/8-44 | NUT 1/8-44 | 780-10835 | 1 |
| 21 | 安全凸轮板 | DRIVING CAM | 780-10818 | 1 | 45 | 滚柱 | ROLLER | 780-10837 | |
| 22 | 螺钉9/64-40。L=6.8 | SCREW 9/64-40 L=6,8 | 780-10512 | 2 | 46 | 滚柱轴 | STUD | 780-10838 | 1 |
| 23 | 弹性圆柱销3×10 | SPRING PIN 3, 0×10 | GB/T879-1996 | 1 | 47 | 螺钉11/64-40,L=7.8 | SCREW 11/64-40 L=7.8 | 780-10516 | 2 |
| 24 | 万向接头座 | BRACKET | 780-10819 | 1 | | | | | |


9. 剪底线器部件 BOBBIN THREAD TRIMMER COMPONENTS



9. 剪底线器部件 BOBBIN THREAD TRIMMER COMPONENTS

| 序号 | 零件名称 | Description | 制造件号 (标准件规格) | 数量 | | 零件名称 | Description | 制造件号 (标准作规格) | 数量 |
|----|------------------|--------------------------------|-----------------|----|----|-------------------|--------------------------------|-----------------|----|
| 1 | 剪底线器组件 | NEEDLE PLATE ASM | 780-10901 | 1 | 26 | 压板调节弹簧 | PRESSER PLATE ADJUSTING SPRING | 780-10925 | 1 |
| 2 | 针板 | NEEDLE PLATE | 780-10902 | 1 | 27 | 顶杆座 | PRESSER PLATE WOENTING BASE | 780-10926 | 1 |
| 3 | 螺钉9/64-40,L=5 | SCREW 9/64-40 L=5 | 780-10903 | 2 | 28 | 剪底线连杆 | BOSBIN THREAD TRIMER LINK | 780-10927 | 1 |
| 4 | 针板座组件 | THROAT PLATE BASE ASM | 780-10904 | 1 | 29 | 螺母 | N.T 3/16-28 | 780-10928 | 1 |
| 5 | 剪底线动刀 | BOBBLY THREAD THOMMEN BEADE AS | 780-10905 | 1 | 30 | 压板调节螺钉 | BRESSER PLATE ADJUSTING SCREW | 780-10929 | 1 |
| 6 | 螺钉9/64-40,1,=3.2 | SCREW 9/64-40 L=3.2 | 780-10906 | 1 | 31 | 铰链销螺钉D=6.35 H=3.2 | HINGE SCREW D=6, 35 H=3, 2 | 780-10930 | 1 |
| 7 | 剪肤线定刀 | COUNTER KNIFE | 780-10907 | 1 | 32 | 铰链销螺钉D=6.35 H=6 | HINGE SCREW D=6, 35 H=6 | 780-10931 | 1 |
| 8 | 蝴笙[1/8-44, L=3.4 | SCREW 1/8-44 L=3,4 | 780-10908 | 2 | 33 | 梭芯导线架 | DOBBIN THREAD GUIDE | 780-10932 | 1 |
| 9 | 剪底线杆 | DOUBLY THREAD TRIMMER LEVER | 780-10909 | 1 | 34 | 螺钉9/64-40。L=5 | SCREW 9/64-40 L=5.0 | 780-10933 | 2 |
| 0 | 螺钉11/64-40,L=4.8 | SCREW 11/64-40 L=4, 8 | 780-10910 | 1 | 35 | 垫閱4.5×8×0.5 | WASHER 4,5×8×0,5 | 780-10108 | 2 |
| 1 | 垫閥4.5×20×1 | WASHER 4, 5 × 20 × 1 | 780-10911 | 1 | 36 | 偏心套 | LACK OF IMPARTIALITY THE SET | 780A+10934 | 1 |
| 2 | 底线拉杆 | BOSBIN THREAD PULLER | 780-10912 | 1 | 37 | 剪底线传动连杆 | BOBBIN THREAD TRIMMER DRIVING | 780A-10935 | 1 |
| 13 | 螺钉9/64-40,1=4 | SCREW 9/64-40 L-4 | 780-10913 | 2 | 38 | 螺母15/64-28 | NUT 15/64-28 | 780-10544 | 1 |
| 14 | 螺钉9/64-40. L=6 | SCREW 9/64-40 1.=6 | 780-10914 | 4 | 39 | 螺钉11/64~40。L=4.8 | SCREW 11/64-40 L=4.8 | 780-10936 | 1 |
| 15 | 旋梭线压力挡板 | HOOK THREAD PRESSER STOPPER | 780-10915 | 1 | 40 | 凸轮连杆 | CONNECTING LINK | 780-10937 | 1 |
| 16 | 压板 | PRESSER PLATE | 780-10916 | 1 | 41 | 舶位螺钉 | STOP SCREW | 780-10938 | 1 |
| 17 | 螺钉11/64-40。L=7.8 | SCREW 11/64-40 L=7.8 | 780-10516 | 1 | 42 | 螺母9/32-28 | N/T 9/32-28 | 780-10939 | 1 |
| 18 | 梭芯压杆顶杆 | OOBBIN PICKER PRESSER PLATE | 780-10917 | 1 | 43 | 铰链销 | HING STUD | 780-10940 | 1 |
| 19 | 铰链销螺钉 | HINGE SCREW | 780-10918 | 1 | 44 | 螺钉15/64-28,L=7 | SCREW 15/64-28 L=7 | 780-10323 | 1 |
| 20 | 梭芯压杆架 | BOBBIN PICKER BRACKET | 780-10919 | 1 | 45 | 剪底线器传动销 | BOBBIN TUREAD TRIMMER DRIVING | 780-10941 | 1 |
| 21 | 螺钉9/64-40。L=6.1 | SCREW9/64-40 L=6.1 | 780-10920 | 1 | 46 | 铰链销螺钉D=7.94 H=6.4 | HINGE SCREW D=7,94 H=6.4 | 780-10942 | 1 |
| 22 | 梭芯压杆架轴 | BOBBIN PICKER BRACKET SHAFT | 780-10921 | 1 | 47 | 球形螺钉 | BALL SCREW | 780-10943 | 1 |
| 23 | 梭芯压杆 | MORRIN WINDER TRIP LATCH | 780-10922 | 1 | 48 | 螺母15/64-28 | NUT 15/64-28 | 780-10544 | 1 |
| 24 | 安全限位板 | SAFETY STOPPE | 780-10923 | 1 | 49 | 螺钉11/64-40。L=7 | SCREW 11/64-40, L=7 | 780-10203 | 1 |
| 25 | 螺钉11/64-40, L=6 | SCREW 11/64-40 L=6 | 780-10924 | 1 | 50 | 蝶钉 | SCREW | 780A-10944 | 1 |
| | | | | | | | | | |


10. 刀杆部件 KNIFE BAR COMPONENTS



10. 刀杆部件 KNIFE BAR COMPONENTS

| 序号 | 孝件名称 | Description | 制造件号 (标准件规格) | 数量 | 序号 | | Description | 制造件号 (标准件规格 | 3 |
|----|-------------------|-------------------------------|-----------------|-----|----|--------------------|---------------------------------|--------------------|-----|
| 1 | 停刀杆平衡块 | KNIFE STOP LEVER BRACKET | 780-11001 | 1 | 39 | auts | OIL WICK | 780-11041 | 200 |
| 2 | 垫圈4.8×8.4×0.8 | WASHER 4, 8×8, 4×0, 8 | 780-11002 | 2 | 40 | 油芯保持架 | OIL WICK HOLDER | 780-11034 | |
| 3 | 螺钉11/64-40,1.=7.8 | SCREW 11/64-40 1=7.8 | 780-10516 | 2 | 41 | 螺钉9/64-40, L=6 | SCREW 9/64-40 L=6 | 780-10123 | |
| 4 | 停刀杆 | KNIFE STOP LEVER | 780-11004 | 1 | 42 | 圆柱内六角螺钉 6×20 | SCREW M6 L=20 | GB 70-76 | |
| 5 | 蝶钉11/64-40, L=7 | SCREW 11/64-40 1-4,8 | 780-11005 | 2 | 43 | 驱动杆铰链销螺钉 | HINGE SCREW D=11, 11 H=9.0 | 780-11036 | |
| 6 | 停刀杆铰链销 | KNIFE STOP LEVER HINGE STUD | 780-11006 | 1 | 44 | 切刀驱动杆轴座 | KNIFE BAR DRIVING CRANK SHAFT | 780A-11037 | 1 |
| 7 | 线检测钢丝 | THREAD CHECK WIRE | 780-11007 | 1 | | | | | [|
| 8 | 螺钉11/64-40, L=7.8 | SCHEW 11/64-40 L=7,8 | 780-10516 | 1 | 46 | 切刀动作勾 | KNIFE BAR DRIVING LEVER BELL C | 780-11039 | |
| 9 | 刀杆 | KNIFE BAR | 780A-11008A | 1 | 47 | 螺钉11/64-40。L=15.5 | SCREW 11/64-40 L=15, 5 | 780-11040 | 1 |
| 10 | 刀杆上套 | KNIFE BAR SET | 780A-11009A | 1 | 48 | 螺母11/64-40 | SUT 11/64-40 | 780-10211 | l i |
| 11 | 外齿镁紧垫圈 ≥6 | LOCK TIGHT WASHER =6 | GB/T862, 1-1987 | 1 | 49 | 驱动杆铰链销螺钉 | BITNGE SCREW D=11, 11 H×9, 0 | 780-11036 | |
| 12 | 销轴 | SELL THE STALK | 780A-11010 | 1 | 50 | 螺母15/64-28 | NUT | 780-11042 | |
| 13 | 刀杆连杆 | ENTIFE BAR CONNECTING LINK | 780A-11011 | 1 | 51 | 切刀动作勾偏芯螺钉 | PIN | 780-11043 | |
| 4 | 纳轴 | SELL THE STALK | 780A-11012 | 1 | 52 | 切刀驱动爪铰链销 | HING STUD | 780-10940 | |
| 5 | 刀杆定位架 | KNIFE STUD RETAINER (B) | 780A-11013A | 1 | 53 | 蜵钉15/64-28,L=7 | SCREW 15/64-28 L=7 | 780-10323 | |
| 6 | 刀秆导引 | ENIFE BAR DIRECTION | 7804-110144 | 1 | 54 | 转矩弹簧 | TENSION SPRING | 780-11045 | |
| 7 | 刀杆固定架 | ENIFE BAR HOLDER | 780A-11058A | 2 | 55 | 切刀驱动爪轴块 | RATCHET PAWL (B) | 780-11046 | |
| 8 | 刀固定架 | ENTIFE HOLDER | 780-11015 | 1 | 56 | 切刀驱动爪主块组件 | DOOK DIFFERENTIAL CLICK A ASM | 780-11047 | |
| 9 | 弹簧垫圆 | SPRING WASHER 6.5×11×1,3 | GB 93-76 | 2 | 57 | 切刀驱动爪主块 | HOOK DEPPERENTEN, CLICK A | 780-11048 | |
| 20 | 圆柱内六角螺钉 6×12 | SCREW M6 L=12 | GB 70-76 | 2 | 58 | 弹簧挂钩 | SPRING SUSPENSION | 780-11049 | |
| 21 | 1/2 切刀 | KNIFE 1/2- | 780-11016 | 1 | 59 | 挂钩 | THREAD CLITTING LINK SPRING RAC | 780-11050 | |
| 22 | 垫閱 | WASPIER 5×10,5×1 | 780-11017 | 1 | 60 | 切刀驱动爪拉簧 | TENSION SPRING | 780-11051 | |
| 23 | 螺钉3/16-32, L=6.5 | SCREW 3/16-32 L=6.5 | 780-11018 | 1 | 61 | 切刀驱动爪拉赞悬挂螺钉 | HINGE SCREW D=5, 30 H=2, 2 | 780-11052 | |
| 4 | 刀杆传动杆 | KNIFE BAR DRIVING LEVER | 780A-11019 | 1 | 62 | 切刀顶杆 | DEIVING BOD | 780-11053 | |
| 25 | 螺钉11/64-40, L=8 | SCREW 11/64-40 L=8 | 780-11020 | 1 | 63 | 切刀动作勾拉簧 | TENSION SPRING | 780-11054 | |
| 26 | 刀杆传动杆复位拉簧 | SPRING | 780-11021 | 1 | 64 | 切刀动作勾拉簽螺钉 | SUSPENSION SCHEW | 780-11055 | |
| 27 | 复位拉簧悬挂螺钉 (上) | HINGE SCREW D=5, 5 H=5 | 780-11022 | 1 | 65 | 线头控制器触杆 | FINGER | 780-11056 | 1 |
| 28 | 切刀动作勾调节螺钉 | KNIFE BAR DRIVING LEVER ASM | 780-11023 | 1 | 66 | 螺钉9/64-40, L=6.8 | SCREW 9/64-40 L=6, 8 | 780-10512 | 1 |
| 9 | 螺母5/16-18 | NUT 5/16-18 | 780-11024 | 1 | 67 | 圆柱销4×18 | POSITIONING PIN (B) | GB 119-76 | 1 |
| 30 | 刀杆传动杆轴 | KNIFE BAR DRIVING LEVER SHAFT | 780-11025 | 1 | 68 | 弹性圆柱销3×18 | SPRING PIN 3×18 | GB 879-76 | |
| 1 | 螺母3/8-28 | NUT 3/8-28 | 780-11026 | 1 | 69 | 切刀顶杆缓冲垫圈 | THRUST WASHER | 780-11057 | , |
| 2 | 复位拉簧悬挂螺钉 (下) | HINGE SCREW D=7.9 H=2.0 | 780-11027 | 1 | 70 | 防油板 | DEFEND OIL PLANK | 780A-11059A | |
| 3 | 蝶母5/16-24 | NUT 5/16-24 | 780-11028 | 1 | 71 | 刀杆下套 | KNIFE BAR NEXT | 780A-11160A | |
| 4 | 切刀驱动杆螺母 | KNIFE BAR DRIVING CRANK NUT | 780-11029 | 1 | 72 | 螺钉3/16-32. L=9 | SCREW 3/16-32 L=9 | 780A-11061A | |
| 15 | 锁紧板转矩弹簧 | TEXSION SPRING | 780-11030 | 1 | 73 | 螺钉3/16-32、L=6.2 | SCREW 3/16-32 L=6.2 | 780-10824.3 | |
| 6 | 切刀驱动杆锁紧板 | LATOL | 780-11031 | 1 | 74 | HULTIN ICA AD A AG | SCREW 11/64-40 L=18 | 780A-11063A | |
| 37 | 螺钉1/4-24, L=9.5 | SCREW 1/4-24. 1=9.5 | 780-11032 | 1 | 75 | AMETIC ICA CO 1 O | SCREW 15/64-28 L=8 | 185-5/01-006050850 | |
| 10 | 切刀驱动杆 | KNIFE BAR DRIVING CRANK | 780-11033 | . 1 | 76 | AMETIC ICL ON 1 15 | SCREW 15/64-28 L=15 | 780A-11065A | 1 |


11. 送布凸轮及离合器部件 FEED CAM & TRIPPING SEGMENT COMPONENTS



11. 送布凸轮及离合器部件 FEED CAM & TRIPPING SEGMENT COMPONENTS

| 序号 | 零件名称 | Description | 制造件号 (标准件规格) | 数量 | 序号 | 零件名称 | Description | 制造作号 (标准件规格) | 数量 |
|----|---------------------|--------------------------------|-----------------|----|-----|------------------|--------------------------------|-----------------|----|
| 1 | 针数变换齿轮 | SPUR GEAR (152) | 780-11128 | 1 | 27 | 据钉15/64-28,L=6.5 | SCREW 15/64-28 L=6, 5 | 8-53-185 | 2 |
| 2 | 针数变换齿轮座 | SPUR GEAR BUSHING ASM | 780-11101 | 2 | 28 | 螺母M12×1.25 | SUT M12 | 780-11132 | 1 |
| 3 | 针数变换齿轮定位销 | SPUR GEAR BUSHING PIN | 780-11102 | 4 | 29 | 送料凸轮止推垫圈 | THRUST WASHER | 780-11121 | 1 |
| 4 | 无头内穴角螺钉3/16-28 1:-6 | SCREW 3/16-28 L=6 | 780A-11103 | 4 | 30 | 送料凸轮轴 | FEED CAM SHAFT | 780-11122 | 1 |
| 5 | 高合紧圈 | CLUTCH COLLAR ASM | 780A-11104 | 2 | 31 | 送料凸轮 | FEED CAM | 780-11123 | 1 |
| 6 | 螺钉15/64-28, L=5 | SCREW 15/64-28 L=5 | 780A-11105 | 2 | 32 | 性關 | WASHER 9.8×24,0×2.6 | 780-11124 | 1 |
| 7 | 螺钉15/64-28, L=5 | SCREW 15/64-28 L=5 | 780A-11105 | 2 | 33 | 螺钉3/8-18, L=15 | SCREW 3/8-18 L=15 | 780-11125 | 1 |
| 8 | 古合弹簧 | CLUTCH SPRING | 780-11106 | 2 | 34 | 加固离合块 | BAR TRIPPING SEGMENT | 780-11126 | 1 |
| 9 | 送料凸轮传动蜗轮 | FEED CAM DRIVING WORM WHEEL | 780A-11107 | 1 | | | | | |
| 10 | 传动蜗轮轴 | FEED CAN DRIVING WORM WHEEL SH | 780A-11108 | 1 | 36 | 非福 | WASHER 4, 8×8, 4×0, 8 | 780-11002 | 14 |
| 11 | | OIL FELT | 780-11109 | 1 | 37 | 螺钉11/64-40, L=16 | SCREW 11/64-40 L=16 | 780-11128 | 10 |
| 12 | 送料凸轮传动轴 | FEED CAM DRIVING SHAFT | 780A-11110 | 1 | 38 | 切刀离合块 | KNIFE TRIPPING SEGMENT | 780-11129 | 1 |
| 13 | 针数变换齿轮 | SPUR GEAR (123) | 780-12127 | 1 | 39 | 加固松线离合块 | TENSION RELEASE TWIFFING SHOME | 780-11130 | 1 |
| 14 | 螺旋齿轮 (下) | SPIRAL WHEEL GEAR (SOTTON) | 780A-11111 | 1 | 40 | 停车松线离合块 | TENSION MULLASE TRIPPING SHOWE | 780-11131 | 1 |
| 15 | 螺旋齿轮 (上) | SPIRAL WHEEL GEAR (TOO) | 780A-11112 | 1 | | | | | |
| 16 | 螺钉15/64-28, L=5 | SCREW 15/64-28 L-5 | 780A-11105 | 2 | 42 | 加固离合块 | BAR TRIPPING SEGMENT | 780-11126 | 1 |
| 17 | 挡阀 | THREST COLLAR ASM D-11.11 W-1 | 780-11113 | 1 | | | | | |
| 18 | 螺钉1/4-40, L=4.5 | SCREW 1/4-40 L=4.5 | 780-10333 | 2 | 44 | 低速凸轮块 | LOW-SPEED CAM | 780-11134 | 1 |
| 19 | 手动送料曲柄轴 | HANDLE CRANK SHAFT | 780A-11114 | 1 | 45 | 止动凸轮块 | STOPPER CAM | 780-11135 | 1 |
| 20 | 手动送料曲柄 | HANDLE CRANK | 780-11115 | 1 | 46 | 端钉11/64-40,L=14 | SCREW 11/64-40 L=14 | 780-10127 | 4 |
| | | | | | 47 | 固定套管 | FASTNESS BUSHING | 780A-11136 | 1 |
| 22 | 燃钉15/64-28,L=4.7 | SCREW 15/64-28 1/4.7 | 780-11116 | 2 | 48 | 齿轮定位架 | WHEEL GEAR FIXED POSITION | 780A-11137 | 1 |
| 23 | 蝶钉3/16-32,L=6 | SCREW 3/16-32 L-6 | 780-11117 | 1 | 49 | 或科 | SCREW 15/64-28 L-16 | 4-26-185 | 3 |
| 24 | 手动送料手柄 | HANDLE SHAFT | 780-11118 | 1 | - 6 | | | | |
| 25 | 手动送料手柄轴 | HANDLE SHAFT | 780-11119 | 1 | | | | | |
| 26 | 送料凸轮传动齿轮 | FEED CAM DRIVING GEAR ASM | 780A-11120 | 1 | | | | | |


12. 止动部件 STOP-MOTION COMPONENTS



12. 止动部件 STOP-MOTION COMPONENTS

| 序号 | 零件名称 | Description | 制造件号 (标准件规格) | 数量 | 序号 | | Description | 制造件号 (标准件规格) | 数星 |
|----|-----------------|----------------------------|-----------------|----|----|--|-------------------------------|-----------------|----|
| 1 | 拉簧悬挂螺钉 | SUSPENSION SCREW(A) | 780-11201 | 1 | 17 | 止动分档块 | LATCH, A | 780-11215 | 1 |
| 2 | 拉簧 | TEXSION SPRING | 780-11202 | 1 | 18 | 格圖6.1×15.2×2.5 | WASHER 6, 1 × 15, 2 × 2, 5 | GB97-76 | 1 |
| 3 | 止动连杆铰链销螺钉 | STOP LINE ROO HINGE SCREW | 780-11203 | 1 | 19 | 弹簧垫圈6 | WASHER | GB93-76 | 1 |
| 4 | 止动铰接板 | STOP LINK | 780-11204 | 1 | 20 | 圆柱内六角螺钉6×20 | SCREW M6 1.=20 | GB70-76 | 1 |
| 5 | 蝶母3/16-32 | NET 3/16-32 | 780-11205 | 1 | 21 | 螺母15/64-28 | NUT 15/64-28 | 780-11217 | 1 |
| 6 | 止动连杆上接头 | STOP LINK HINGE STED | 780-10206 | 1 | 22 | 螺钉15/64-28。L=30 | SCREW 15/64-28 L=30 | 780-11218 | 1 |
| 7 | 止动铰接板连接螺钉 | STOP LINK CONNECTING SCREW | 780-11207 | 1 | 23 | 止动缓冲连杆 | STOP LINK ROO | 780-11219 | 1 |
| 8 | 止动连杆下接头 | STOP LINK ROD HINGE STUD | 780-11208 | 1 | 24 | 止动级冲连杆压簧 | STOP LINK BOD PRESSURE SPRING | 780-11220 | 1 |
| 9 | 止动连杆 | STOP MOTION LEVER | 780A-11209 | 1 | 25 | 压篑调节螺母 | NUT FOR STOP LINK ROD | 780-11221 | 1 |
| 0 | 上辅皮带拨叉 | BELT SHIFTER | 780-11210 | 1 | 26 | 压簧铁紧螺母 | NIT 3/8-18 | 780-11222 | 1 |
| 11 | 继钉15/64-28,L=7 | SCREW 15/64-28 1×7 | 780-10808 | 2 | 27 | 止动连杆座 | STOP MOTTON LEVER BRACKET | 780-11223 | 1 |
| 12 | 垫閥6.5×13×0.8 | WASHER 6,5×13×0,8 | 780-11211 | 2 | 28 | 段柱内六角螺钉10×20 | SCREW MIO L-20 | GB70-76 | 2 |
| 13 | 垫圈6.1×18.5×2 | ₩ASHER 6.1×18.5×2 | 780-11212 | 2 | 29 | 止动连杆销 | PIN | 780-11224 | 1 |
| 14 | 弹簧垫圈6 | WASRER | GB93-76 | 2 | 30 | 圆柱内六角螺钉6×16 | SCREW M6 L=16 | GB70-76 | 1 |
| 15 | 螺钉15/64-28。L=13 | SCHEW 15/64-28 L=13, 0 | 780-11213 | 2 | 31 | 轴用挡圈◎11 | RETAINING RING will | GB894-76 | 1 |
| 16 | 起动顶杆 | STOP PIN | 780-11214 | 1 | | That the same of t | | | |


13. 运转脱离部件 TRIPPING LEVER COMPONENTS



13. 运转脱离部件 TRIPPING LEVER COMPONENTS

| 序号 | 零件名称 | Description | 制造件号 (标准件规格) | 数量 | | | Description | 制造件号(标准件规格) | 数丘 |
|----|------------------|-------------------------------|-----------------|----|----|-----------------|--------------------------------|---------------|----|
| 1 | 起动架组件 | STARTING LINK ASM | 780-11301A | 1 | 19 | 于和动顶轴 | HAND STOP ROD | 780-11311 | 1 |
| 2 | 起动架 | STARTING LINK COMPL | 780-11301B | 1 | 20 | 手柄 | HAND STOP CRANK ASM | 780-11312 | 1 |
| 3 | 安全钧 | SAFETY BASE | 780-11302 | 1 | | | E-50-50-0-40-10 (500-007-00-00 | | |
| 4 | 螺钉11/64-40. L=7 | SCREW11/64+40 L=7 | 780-10140 | 1 | 22 | 螺钉15/64-8,1=4.7 | SCREW 15/64-28 1=4,7 | 780-11116 | 2 |
| 5 | 起动架组件铰链销 | HING STUD | 780-10940 | 1 | 23 | 运转脱离杆压管 | TRIPPING LEVER TEXSION SPRING | 780-11313 | 1 |
| 6 | 螺钉15/64-28, L=9 | SCREW 15/64-28 L=9 | 780-10721 | 1 | 24 | 性關 | WASHER | 780-11314 | 1 |
| 7 | 偏心铰链销螺钉 | HINGE SCREW | 780-11304 | 2 | 25 | 蝶钉15/64-28. L=9 | SCREW 15/64-28 L=9 | 780-10721 | 1 |
| 8 | 螺母15/64-28 | NIT 15/64-28 | 780-10544 | 2 | 26 | 螺母36 | SUT M6 | GB/T6170-1986 | 1 |
| 9 | 起动架拉杆 | STARTING LINK DRIVING BOD | 780-11305 | 1 | 27 | 锁定板 | LATCH (B) | 780-11315 | 1 |
| 10 | 铰链销螺钉 | HINGE SCREW J=7, 94 H=4, 5 | 780-11306 | 1 | 28 | 内六角螺钉 M=6, L=22 | SCREW M6 L=22 | GB70-76 | 1 |
| 1 | 手制动曲柄轴挡圆 | THREST COLLAN ASM D=7.94 W=10 | 780-11307 | 1 | 29 | 弹簧垫圈 | SPRING WASHER 6,5×12,5×1,5 | 38000 WARE | 1 |
| 12 | 螺钉11/64-40 , L=7 | SCREW 11/64-40 L-7 | 780-10140 | 1 | 30 | 运转脱离杆 | TRIPPING LEVER | 780A-11317 | 1 |
| 3 | 螺钉11/64-40 . L=5 | SCREW 11/64-40 L+5 | 780-10111 | 1 | 31 | 脱离爪 | TRIPPING DOG | 780-11318 | 1 |
| 14 | 曲柄轴转矩弹簧 | CRANK SHAFT TENSION SPRING | 780-11308 | 1 | 32 | 内六角螺钉 M=5, L=12 | SCREW M5 L=12 | GB70-76 | 1 |
| 15 | 手制动血柄轴 | HAND STOP CRANK SHAFT | 780-11309 | 1 | 33 | 殚黄热图≥5 | WASHER #5 | GB93-76 | 1 |
| 6 | 螺钉11/64-40,L=9.5 | SCREW 11/64-40 1=9.5 | 780-10536 | 2 | 34 | 铰链销组件 | TRIPPING LEVER HINGE PIN ASM | 780-11321 | 1 |
| 7 | 钢球4 | HAND STOP CRANK SHAFT BALL | GB308-77 | 1 | 35 | 运转脱离杆铰链销 | TRIPPING LEVER HINGE PIN | 780-11322 | 1 |
| 8 | 曲柄压簧 | CRANK SHAFT PRESSURE SPRING | 780-11310 | 1 | 36 | 独用弾性挡覆 e11 | RETAINING RING #11 | GB894-76 | 1 |
| | | | | | 37 | 起动块 | STARTING PIECE | 780A-11323 | 1 |


14. 压脚提升架和绕线器部件 LIFTING LEVER & BOBBIN WINDER COMPONENTS



14. 压脚提升架和绕线器部件 LIFTING LEVER & BOBBIN WINDER COMPONENTS

| 序号 | L. Garage and Control of the Control | Description | 制造件号 | 数 |
|----------|--|-----------------------------------|--|-------------------|
| 1 | 压脚提升长拉杆 | PRESSER BAR LIFTING ROD LONG | 780-11401 | 1 |
| 2 | 开口挡圈5 | E-RING | GB896-76 | 2 |
| 3 | 杠杆铰链销螺钉 | HINGE SCREW D=7, 24 H=3, 3 | 780-11402 | 2 |
| 4 | 压脚提升前杠杆 | LEVER ASM FRONT | 780A-11403 | - |
| 5 | 前杠杆连接环 | LINK | | 1 |
| 6 | 开口销2×10 | SPLIT PIN | 780-11404 | 1 |
| 7 | 压脚提升后杠杆组件 | LEVER ASM REAR | GB91-76 | 2 |
| 8 | 压脚提升拉杆 | | 780-11405 | 1 |
| 9 | 垫圈 | PRESSER BAR LIFTING ROD WASHER | 780-11406 | 1 |
| 10 | 螺钉15/64-28, L=10.5 | | 780-11314 | 1 |
| 11 | 压棒提升限位螺钉 | SCREW 15/64-28 L=10.5 | 780-10302 | 1 |
| 12 | 区长担1.17 | LIFTING LEVER STOPPER | 780-11407 | 1 |
| | 压棒提升杆 | PRESSER BAR LIFTING LEVER ASM | 780-11408 | 1 |
| 13 | 垫圈 | WASHER 7.4×11.8×0.5 | 780-11409 | 1 |
| 14 | 压脚提升拉杆簧 | PRESSER FOOT LIFTING SPRING | 780-11410 | 1 |
| 15 | 拉簧悬挂螺钉 | SUSPENSION SCREW(A) | 780-11201 | 1 |
| 16 | 绕线器过线组件 | BOBBIN WINDER TENSING ASM | 780-11412 | 1 |
| 17 | 夹线螺母 | BOBBIN WINDER TENSION NUT | 780-11413 | 1 |
| 18 | 绕梭心线夹线弹簧 | BOBBIN WINDER TENSION SPRING | 780-11414 | 1 |
| 19 | 夹线盘 | BOBBIN WINDER TENSION DISC | 780-11415 | 2 |
| 20 | 绕梭心线过线螺钉 | BOBBIN WINDER TENSION POST | 780-11416 | 1 |
| 21 | 螺母11/64-40 | NUT 11/64-40 | 780-11416 | 1 |
| 22 | 绕梭心线过线架 | BOBBIN WINDER TENSION BRACKET | 780-10211 | |
| 23 | 螺钉11/64-40, L=7.8 | SCREW 11/64-40 L=7.8 | | 1 |
| 24 | 垫圈4.8×11.5×2 | WASHER 4.8×11.5×2 | 780-10516 | 2 |
| 25 | 绕线器组件 | | 780-11418 | 2 |
| 26 | 压线弹簧 | BOBBIN THREAD TENSION ASM. | 01-74-1900 | 1 |
| 27 | 夹线螺母 | CONNECTING ROD SPRING | 11414-780 | 1 |
| 28 | | THREAD TENSION NUT | 11413-780 | 1 |
| | 螺母11/64-40 | NUT 11/64-40 | 10211-780 | 1 |
| 29 | 绕线器过线螺钉 | BOBBIN THREAD TENSION ROD ASM. | 11416-780 | 1 |
| 30 | 夹线盘 | THREAD TENSION DISK | 11415-780 | 2 |
| 31 | | BOBBIN WINDER UNIT | | 1 |
| 32 | | RETAINING RING | | (1) |
| 33 | | E-RING 4 | | (1) |
| 34 | | BTW BEARING SPACER | | (1) |
| 35 | 4134 | BOBBIN SPRING | | (1) |
| 36 | 1,254,040 | BTW SPRING | | (1) |
| 37 | | BTW BASE | | (1) |
| 38 | | BTW CAM PLATE | | (1 |
| 39 | | BTW SHAFT | | The second second |
| 40 | | BTW LEVER SHAFT | | (1 |
| 41 | | BTW LEVER SHAPI | 4.4 | (1) |
| 42 | 绕线器组件 | SCREW | 14-01-701 | (1) |
| 43 | SPECTURE 1 | | 14-31-791 | (1) |
| 44 | | WASHER 4.5X10X0.8 | | (1) |
| 45 | | BTW BASE SHAFT | | (1) |
| | | BTW BEARING | | (2) |
| 46 | | BTW SHAFT BASE | | (1) |
| 47 | | BTW SPACER | Control of the Contro | (1) |
| 48 | | SCREW M4X8 | | (2) |
| 49 | | BTW TORSION SPRING | - 1 | (1) |
| 50 | | BTW WHEEL RUBBER | | (1) |
| 51 | | BTW CAM LEVER | | (1) |
| 52 | | SCREW M5 L=5 | | (1) |
| 53 | 7 | BTW WHEEL | | |
| 54 | 离合杆铰链销组件 | TRIPPING LEVER HINGE PIN ASM | 700-11201 | (1) |
| 55 | 离合杆铰链销 | TRIPPING LEVER HINGE PIN ASM | 780-11321 | 1 |
| | 轴用弹性挡圈◎11 | | 780-11322 | 1 |
| 57 | 螺钉 M4 L=11 | RETAINING RING 10. 2 | GB894-76 | 1 |
| 58 | | SCREW M4 L=11 | 02-27-210 | 3 |
| | 螺钉M3 L=6 | SCREW M3 X 6 | GB | 2 |
| 59 | 断线刀片 | THREAD CUTTER | 01-047-1900 | 1 |
| 60 61 | 摩擦轮 | | 21-791 | 1 |
| | 螺钉 SM11/64-40 | SCREW 11/64-40 L=4.5 | 05-30-119 | 2 |


15. 夹线器部件 THREAD TENSION COMPONENTS




15. 夹线器部件 THREAD TENSION COMPONENTS

| 序号 | 零件名称 | Description | 制造件号 (标准件规格) | 数量 | 序号 | | Description | 制造件号 (标准件规格) | 1 |
|----|-----------------|--------------------------------|-----------------|-----|-----|-------------------|------------------------------|-----------------|-----|
| 1 | 松线拉杆 | TENSION RELEASE LINK | 780-11501 | 1 | 34 | 过线螺钉座 | TENSION POST SOCKET | 780-11527 | |
| 2 | 铰链销螺钉 | HINGE SCREW D=6, 35 H=3, 9 | 780-11502 | 1 | 35 | 螺钉9/64-40,L=5.5 | SCREW 9/64-40 L=5.5 | 780-11528 | |
| 3 | 松线杠杆 | TEXSION RELEASE LEVER | 780-11503 | 1 | 36 | 加固松线杆曲柄轴 | TEXSION RELEASE LEVER SHAFT | 780-11529 | |
| 4 | 螺钉1/4-40, L=7 | SCREW 1/4-40 1×7.0 | 780-10414 | 2 | 37 | 螺钉11/64-40,L=7.8 | SCREW 11/64-40 L=7.8 | 780-11516 | |
| 5 | 安全推杆轴位螺钉 | HINGE SCREW D=6, 35 H=2, 4 | 780A-11504 | 1 | 38 | 拔线钢丝 | THREAD PULLING WIRE | 780A-11530 | 1 |
| 6 | 安全推杆 | BLOCKNG LINK | 780A-11505 | 1 | 39 | 夹线控制器1号组件 | TENSION CONTROLLER NO. 1 ASM | 780-11531 | |
| 7 | 铰链销螺钉 | HINGE SCREW D=6, 35 H=3, 9 | 780-11502 | 1 | 40 | 火线螺母 | THREAD TENSION PICK-UP (RED) | 780-11520 | |
| 8 | 安全推杆拉簧 | BLOCKING ARM SPRING | 780A-11507 | 1 | 41 | 夹线螺母定位板 | TENSION SPRING BUSHING | 780-11521 | |
| 9 | 安全拔杆轴位螺钉 | HINGE SCREW D=7, 94 H=3, 1 | 780A-11508 | 1 | 42 | 压线弹簧 | TEXSTON SPRING NO. 1 | 780-11532 | |
| 0 | 安全披杆 | BLOCKIG ARM | 780A-11509 | 1 | 43 | 管状夹线板压夹线盘 | THREAD TENSION DISK PRESSER | 780-11523 | |
| 1 | 安全拔杆垫閥 | BLOCKING ARM BRACKET | 780A-11510 | 1 | 44 | 夹线盘 | THREAD TENSION DISK | 780-11524 | l |
| | | | | | 45 | 松线销 | TENSION RELEASE PIN NO. 2 | 780A-11533 | |
| 3 | 螺母3/16-28 | NUT 3/16-28 | 780-10928 | 2 | 46 | 面线第一过线钉 | TENSION POST NO. 2 | 780-11534 | |
| 4 | 止动松线顶杆 | TENSION RELEASE LEVER | 780-11511 | 1 | 47 | 螺母1/4-24 | N/T 1/4-24 | 780-10613 | |
| 5 | 螺钉 | SCREW 3/16-32 L=9, 5 | 780-11512 | 1 | 48 | 松线臂 | TENSION RELEASE ARM ASM | 780-11535 | |
| 6 | 加固松线杆曲柄紧圆 | THRUST COLLAR ASM D-7, 94 W-10 | 780-11307 | 1 | 49 | 螺钉1/4-40,L=8.5 | SCREW 1/4-40 L=8, 5 | 780-11536 | |
| 7 | 螺钉11/64-40、L=7 | SCREW 11/64-40 L=7 | 780-11140 | 2 | 50 | 獎打15/64-28。L=12 | SCRIW 15/64-28 L=12 | 780-10610 | |
| 8 | 加固松线杆曲柄 | TENSION RELEASE CRANK NO. 2 | 780-11514 | 1 | 51 | 导线板 | THREAD GUIDE PLATE | 780-11537 | |
| 9 | 松线杆曲柄轴轴套 | TENSION WELEASE LEVER COLLAR N | 780-11515 | 1 | 52 | 松线顶杆复位弹簧 | SPRING | 780-11538 | |
| 0 | 松线杆铰链销螺钉 | HINGE SCREW D=5 H=3 | 780-11516 | 1 | 53 | 止推紧圈 | THRUST COLLAR ASM | 780-11539 | |
| 1 | 螺母9/64-40 | NIT 9/64-40 | 780-10406 | 1 | 54 | 螺钉9/64-40,L=4.5 | SCREW 9/64-40 L=4, 5 | 780-10628 | |
| 2 | 加固松线杆 | TENSION RELEASE ROD | 780-11517 | 1 | 55 | 松线顶杆 | TENSION RELEASE ROD | 780-11540 | |
| 3 | 0型密封限14×1.9 | RUBBIER RYNG | GB1235-76 | 1 | 56 | 弹性圆柱销3×20 | SPRING PIN 3×18 | GB879-76 | |
| 4 | 松线钉 | TENSION RELEASE PIX. NO. 2 | 780A-11518 | 1 | 57 | 蝶钉11/64-40, L=7 | SCREW 11/64-40 L=7 | 780-11140 | |
| 5 | 蝶钉11/64-40,L=16 | SCREW 11/64-40 L=16 | 780-11128 | 1 | 58 | 二限线钩 | THREAD EYELET | 780-11541 | |
| 6 | 夹线控制器2号组件 | TENSION CONTROLLER NO. 2 ASM | 780-11519 | 1 | 59 | 右线钩 | ARM THREAD GUIDE A | 780-11542 | |
| 7 | 夹线螺母 | THREAD TENSION PICK-UP (RED) | 780-11520 | 1 | 60 | 螺钉9/64-40。L=6.8 | SCREW 9/64-40 L=6, 8 | 780-10512 | |
| 88 | 夹线螺母定位板 | TENSION SPRING BUSHING | 780-11521 | 1 | 61 | 针杆过线钩 | NEEDLE BAR THREAD GUIDE | 780-11543 | 303 |
| 9 | 压线弹簧 | TENSION SPRING RED | 780-11522 | 1 | 62 | 螺钉11/64-40, L=7.8 | SCREW 11/64-40 L=7.8 | 780-10516 | |
| 0 | 管状夹线板压板 | THREAD TENSION DISK PRESSER | 780-11523 | 1 | 63 | 紧线钩 | TENSION THREAD GUIDE NO. 2 | **** | 8 |
| 1 | 夹线盘 | THREAD TENSION DISK | 780-10524 | 2 | 64 | 挑线过线勾 | THREAD GUIDE | 780A-11545 | |
| 2 | 而线第二过线螺钉 | TENSION POST NO. 3 | 780-11525 | 653 | 500 | 螺母9/64-40 | XLT 9/64-40 | 780-10406 | |
| 3 | 挑线弹簧 | THREAD TAKE-UP SPRING | 780-11526 | 1 | | | | WICE STATES | |

16. 润滑机构部件 LUBRICATION MECHANISM COMPONENTS






16. 润滑机构部件 LUBRICATION MECHANISM COMPONENTS

| 序号 | 零件名称 | Description | 制造件号 (标准件规格) | 数量 | 10.83 | | Description | 制造件号 (标准件规格) | 数互 |
|----|------------------|--------------------------|-----------------|----|-------|-------------------|--------------------------------|-----------------|----|
| 1 | 油毡压簧 | OIL FELT PRESSURE SPRING | 780A-11601 | 1 | 37 | 独管接头螺钉 | VINYL PIPE CONNECTING SCREW | 780A-11649 | 3 |
| 2 | 回油毡 | OIL RETURN FELT (A) | 780A-11602 | 1 | 38 | 红香柏垫提网.5×=10,5× | 1 WASHER #6,5×#10,5×1 | 标准件 | 6 |
| 3 | 回油管 | OIL RETURN TUBE | 780-11603 | 1 | 40 | 上油型 | OIL COVER (TOP) | 780A-11630 | 1 |
| 4 | 油管压板 | CABLE HOLDER | 780A-11604 | 1 | 41 | 中油菜 | OTL COVER (MIDDLE) | 780A-11631 | 1 |
| 5 | 蝶钉11/64-40 L=7 | SCREW 11/64-40 L=7 | 780-10140 | 6 | 42 | 下油塩 | OIL COVER (BOTTOM) | 780A-11632 | 1 |
| 6 | 回油毡 | OIL RETURN FELT | 780-11605 | 1 | | | | 13331 13002 | |
| 7 | 油芯 | OIL WICK | 780A-11606 | 1 | | | | | |
| 8 | 储油器 | FOUNT | 780A-11607 | 1 | 47 | 底座组件 | MACHINE BASE ASM | 780-11636 | 1 |
| 9 | 油毡 | OH. FELT | 780A-11608 | 1 | 49 | 油池 | OIL RESERVOIR | 780-11637 | 1 |
| 10 | 油管 | VINYL PIPE | 780A-11609 | 1 | 51 | 皮带單定位螺钉 | GUIDE PIN | 780-11638 | 2 |
| 11 | 盛油盘组件 | OIL RECEIVER ASM | 780A-11610 | 1 | 52 | 机头橡胶座垫 | RUBBER CUSHION | 780-11639 | 4 |
| 12 | 调节润滑螺钉座 | OIL ADJUSTING SCREW BASE | 780A-11611 | 1 | 53 | 螺钉11/64-40,L=10.5 | SCREW 11/64-40 L=10, 5 | 780-10338 | 4 |
| 13 | 调节润滑螺钉 | OIL ADJUSTING SCREW | 780A-11612 | 1 | 54 | 机头铰链座 | HINGE HOLDER | 780-11640 | 2 |
| 14 | 油量调节弹簧 | OIL ADJUSTING SPRING | 7804-11613 | 1 | 56 | 弹性圆柱销 | PIN | GB879~76 | 2 |
| 15 | 油量调节开关 | OH. ADJUSTING SWITCH | 780A-11614 | 1 | 57 | 圆柱内六角螺钉6×20 | SCREW M6 1-20 | GB70-76 | 4 |
| | | 774 79 4 | | | 58 | 作[2]M6 | WASHER MG | GB93-76 | 4 |
| 17 | 引油管 | VINYL PIPE | 780A-11615 | 1 | 59 | 世 報专丁 | SCREW | 780-11643 | 1 |
| | | | | | 60 | 密封垫 | OIL DRAIN CAP GASKET | 780-11644 | 1 |
| 19 | 神私 | OIL FELT | 780A-11616 | 1 | 61 | 起动杠杆压簧 | STARTING LEVER PRESSURE SPRING | 780-11645 | 1 |
| 20 | 示油窗标油螺钉 | OIL MARK SCREW | 780A-11617 | 1 | 62 | 调节螺钉M8 | SCREW M8 L=20 | 780-10733 | 1 |
| 21 | 螺母1/4 | XIII 1/4 | 780-11013 | 4 | 63 | 螺母15/64-28 | NUT 15/64-28 | 780-10544 | 1 |
| | | | | | 64 | 起动架限位螺钉 | STOP SCREW ASM | 780-11646 | 1 |
| 23 | 油泵完全座 | OIL PUMP | 780A-11619 | 1 | 65 | 螺母MS | NUT M8 | GU/T6175-1986 | 1 |
| 24 | 润滑泵蜗轮 | OIL PUMP WORM GEAR | 7804-11620 | 1 | 66 | 螺钉15/64-28,L=12 | SCREW 15/64-28 L=12 | 780-10610 | 1 |
| 25 | 油泵板 | OIL PUMP PLANK | 780A-11621 | 1 | 67 | 起动架轴 | STARTING LINK SHAFT | 780A-11647 | 1 |
| 26 | 油管导板 | VINYL PIPE PLANK | 780A-11622 | 1 | 68 | 起动架定位螺钉 | SCREW | 780-11648 | 1 |
| | | | | | 69 | 螺钉15/64-28、L=7 | SCREW 15/64-28 L=7 | 780-10323 | 1 |
| 28 | 皮带罩 | DELT GEARD | 780-11623 | 1 | 70 | 起动架 | STARTING LINK | 780-11649 | 1 |
| 29 | 螺钉11/64-40,L=12 | SCREW 11/64-40 L=12 | 780-10107 | 2 | 71 | 起动杠杆 | STARTING LEVER | 780-11650 | 1 |
| 30 | 螺钉11/64-40。L=8.5 | SCREW 11/64-40 L=8, 5 | 780-11624 | 2 | 75 | 底座毡巷 | MACHINE BASE FELT PAD | 780-11653 | 4 |
| 31 | 皮带罩安装夹 | BELT GUARD SET SCREW | 780-11625 | 1 | 76 | 底座螺栓 | MACHINE BASE SCREW STUD | 780-11654 | 4 |
| 32 | 底部导板 | BOTTOM GUIDE | 780-11626 | 1 | 77 | 垫捌6.1×18.5×2 | WASHER 6, 1×18, 5×2 | 780-11655 | 4 |
| 33 | 橡胶轴套 | RUBBER BUSHING | 780-11627 | 2 | 78 | 螺母15/64-28 | NUT 15/64-28 | 780-10544 | 4 |
| 34 | 油管固定夹 | VINYL PIPE FIX LATCH | 780A-11657 | 1 | 81 | 连接销 | CONNECTION STUD | 780-11658 | 2 |
| | | | | | 82 | 螺钉9/64-40 L=6.8 | SCREW 9/64-40 L=6.8 | 780-10512 | 7 |
| 36 | 油管接头 | VINYL PIPE CONNECTING | 780A-11648 | 3 | 83 | 橡胶垫圈 | RUBBER WASHER | 780-11660 | 2 |

电器控制部分 ELECTRICAL CONTROL COMPONENTS



电器控制部分 ELECTRICAL CONTROL COMPONENTS

| 序号 | 零部件名称 | DESCRIPTION | 件 号 | 数量 |
|----|---------------------|------------------------|-----------|----|
| 1 | 内六角螺钉 M5*30 | SCREW M5 L=30 | GB70 | 4 |
| 2 | 电机 | MOTOR | 19-02-791 | 1 |
| 3 | 无头内六角螺钉 M5*6 | SCREW M5 L=6 | GB77 | 2 |
| 4 | 手轮安装座 | HANDWHEEL RETAINER | 19-04-791 | 1 |
| 5 | 盘头螺钉 M4*10 | SCREW M4 L=10 | GB | 3 |
| 6 | 手轮 | HANDWHEEL | 19-06-791 | 1 |
| 7 | 无头内六角螺钉 M6*6 | SCREW M6 L=6 | GB77 | 3 |
| 8 | 联轴器A | COUPLING A | 19-08-791 | 1 |
| 9 | 无头内六角螺钉 M6*6 | SCREW M6 L=6 | GB77 | 3 |
| 10 | 联轴器B | COUPLING B | 19-10-791 | 1 |
| 11 | 轴承6205Z | BEARING 6205Z | GB | 1 |
| 12 | 无头内六角螺钉 M5*6 | SCREW M5 L=6 | GB77 | 2 |
| 13 | 上轴带轮 | SPROCKET WHEEL | 19-13-791 | 1 |
| 14 | 电磁铁罩壳 | SOLENOID COVER | 19-14-791 | 1 |
| 15 | 盘头螺钉 M5*6 | SCREW M5 L=6 | GB | 2 |
| 16 | 轴位螺钉 | HINGE SEREW | 11306-780 | 2 |
| 17 | 连接块 | CONNECTION BLOCK | 19-17-791 | 1 |
| 18 | 螺钉SM11/64-40 L=7.8 | SCREW SM11/64-40 L=7.8 | 10516-780 | 2 |
| 19 | 电磁铁 | SOLENOID | 19-19-791 | 1 |
| 20 | 内六角螺钉SM11/64-40 L=6 | SCREW SM11/64-40 L=6 | 19-20-791 | 2 |
| 21 | 连接板 | CONNECTION PLATE | 19-21-791 | 1 |
| 22 | 螺钉SM11/64-40 L=7.8 | SCREW SM11/64-40 L=7.8 | 10516-780 | 2 |
| 23 | 小支架 | SMALL BRACKET | 19-23-791 | 1 |
| 24 | 启动感应器 | START SENSOR | 19-24-791 | 1 |
| 25 | 盘头螺钉 M3*4 | SCREW M3 L=4 | GB | 1 |
| 26 | 停车感应座 | STOP INDUCTION BLOCK | 19-26-791 | 1 |
| 27 | 螺钉SM11/64-40 L=14 | SCREW SM11/64-40 L=14 | 10127-780 | 2 |
| 28 | 慢速感应座 | SLOW INDUCTION BLOCK | 19-28-791 | 1 |
| 29 | 螺钉SM11/64-40 L=14 | SCREW SM11/64-40 L=14 | 10127-780 | 2 |
| 30 | 感应器支架 | SENSOR SUPPORT | 19-30-791 | 1 |
| 31 | 螺钉SM11/64-40 L=7.8 | SCREW SM11/64-40 L=7.8 | 10516-780 | 1 |
| 32 | 停车感应器 | STOP SENSOR | 19-32-791 | 1 |
| 33 | 不锈钢盘头螺钉M3*8 | SCREW M3 L=8 | GB | 1 |
| 34 | 显示屏 | DISPLAY PANEL | 19-34-791 | 1 |
| 35 | 显示屏支架 | DISPLAY SCREEN BRACKET | 19-35-791 | 1 |
| 36 | 电控箱 | ELECTRIC CONTROL BOX | 19-36-791 | 1 |
| 37 | 脚踏控制器 | FOOT CONTROLER | 19-37-791 | 1 |